

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020152320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 09:45
S2	139	((primary near3 path) same ((backup back-up) near3 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:25
S5	10	709/239 and ((primary near3 path) same ((backup back-up) near3 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S6	0	709/239 and ((primary near3 path) same ((predetermined predefined) near8 (backup back-up) near3 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:31
S9	37	709/239 and ((network adj controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S17	37	(test near5 (backup or back-up)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S23	29	((primary near3 path) same ((backup back-up) near3 path)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S64	25	disabl\$3 near3 port with bridge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/28 10:29
S97	3	((turn turns turning) adj off near4 port) with primary	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/28 10:29

EAST Search History

S10 1	1	"20020152320".pn. and disabl\$4 with port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 19:55
S10 2	0	"6112249".pn. and "Fig. 4"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 19:56
S10 3	2	"6112249".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 19:56
S10 4	2	"3920975".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 09:53
S10 5	2	"3920975".pn. and (test testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 09:53
S10 6	4	(primary near3 path) same ((backup back-up) near3 path) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:26
S10 7	0	709/239 and ((primary near3 path) same ((backup back-up) near3 path)) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S10 8	0	709/239 and ((network adj controller)) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S10 9	0	(test near5 (backup or back-up)) same network and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28

EAST Search History

S11 0	3	((primary near3 path) same ((backup back-up) near3 path)) and wireless and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S11 1	4	((primary near3 path) same ((backup back-up) near3 path)) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:28
S11 2	0	disabl\$3 near3 port with bridge and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/28 10:29
S11 3	0	((turn turns turning) adj off near4 port) with primary and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/28 10:29
S11 4	0	((turn turns turning) adj off near4 port) with path and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/28 10:29
S11 5	8	((turn turns turning) adj off near4 port) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/28 10:29
S11 6	1	((primary near3 path) same ((predetermined predefined) near8 (backup back-up) near3 path)) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:42
S11 7	4	((primary near3 path) near8 (backup back-up) near3 path) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:49
S11 8	2	(switch with network with backup) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:50
S11 9	16	(redundan\$4 with network with backup) and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:51

EAST Search History

S12 0	5	(network and backup).ti. and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:51
S12 1	2	(network and back-up).ti. and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:52
S12 2	20	(network and redundan\$4).ti. and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:52
S12 3	4	(network and redundan\$4).ti. and ((@ad<"20001031" or @rlad<"20001031") and @pd>"20051001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/28 10:52